

INSTALLATION INSTRUCTIONS

GENUINE PARTS

1. **DESCRIPTION:** Vehicle Cover

2. APPLICATION: 2005 Xterra

3. PART NUMBER: 999N2-KR000

4. KIT CONTENTS:

Item No. Qty. Part Number Description
1.) 1. 999N2-KR000 Vehicle Cover Lock & Cable Storage Bag

5. TOOLS REQUIRED: No Tools Required

6. INSTALLATION NOTES / CARE & CLEANING:

- 1.) Vehicle cover must be installed properly and completely, do not use vehicle with cover installed.
- 2.) Wash cover on vehicle with mild soap. Allow sufficient time for cover to air dry completely before storing. DO NOT use bleach!



INSTALLATION INSTRUCTIONS

7. INSTALLATION PROCEDURE


0

BEFORE INSTALLATION

- 1. Read entire installation instructions before proceeding
- 2. Be careful not to damage any antenna or mirror pocket area when installing cover.
- 3. Watch for any sharp objects on vehicle that may rip the cover.

1

- To remove the antenna, carefully unscrew the mast from its base by turning it counterclockwise.
- To re-install antenna, carefully screw mast into its base by turning it clockwise. Be sure not to cross tread when installing.




2 LAY COVER OVER THE CENTER OF VEHICLE AND OPEN.

The NIssan logo will be visible on the front of the vehicle cover



You must first install the cover over the the mirror pockets. It is very important that this is done before the ends of the cover are stretched over the front and rear bumpers.






INSTALLATION INSTRUCTIONS



INSTALL COVER OVER FRONT AND REAR BUMPERS

The elastic at each end of the cover will keep the cover in place under all normal conditions.



5

REMOVAL

- A. The following procedure makes it easier to remove and install the cover whenever it is used. Release both ends of the cover from under the bumpers.
- B. Fold up both sides of the cover towards the center of the vehicle, onto it's top, approximately 2 or 3 feet wide.
- C. Start at the front of the vehicle and roll or fold the cover from the front to the back.
- D. Store cover in storage bag.